


Markov modelling for queues of Internet traffic

Multi Service Networks (2007)



Richard G. Clegg (richard@richardclegg.org)
Dept. of Electronic and Electrical Engineering, UCL
— Multi-service networks, 2007
(Prepared using L^AT_EX and beamer.)

Motivation

- Mathematically appealing Markov models of internet data in literature.
- Models capture Long-range dependence of real data (plus other parameters).
- Would like a simple queuing model to do maths with.
- How useful are these models in practice?

Motivation

- Mathematically appealing Markov models of internet data in literature.
- Models capture Long-range dependence of real data (plus other parameters).
- Would like a simple queuing model to do maths with.
- How useful are these models in practice?

Motivation

- Mathematically appealing Markov models of internet data in literature.
 - Models capture Long-range dependence of real data (plus other parameters).
 - Would like a simple queuing model to do maths with.
 - How useful are these models in practice?
- ① Seven simple ways to model internet traffic (usually with MCs).

Motivation


- Mathematically appealing Markov models of internet data in literature.
 - Models capture Long-range dependence of real data (plus other parameters).
 - Would like a simple queuing model to do maths with.
 - How useful are these models in practice?
- 1 Seven simple ways to model internet traffic (usually with MCs).
 - 2 Tests using a very simple infinite buffer queuing model.

Motivation


- Mathematically appealing Markov models of internet data in literature.
 - Models capture Long-range dependence of real data (plus other parameters).
 - Would like a simple queuing model to do maths with.
 - How useful are these models in practice?
- 1 Seven simple ways to model internet traffic (usually with MCs).
 - 2 Tests using a very simple infinite buffer queuing model.
 - 3 Compare with freely available real internet data sets.

Irresponsibly hasty guide to Long-Range Dependence

- LRD (also known as long memory) occurs when a data has significant correlations over a number of time scales.
- Imagine that data at a particular time t having some significant effect on the data at time $t + k$ even if k becomes very large.
- This data might, therefore, have large peaks (or troughs) which cause queuing problems.
- Measured in packets/unit time on internet data [Leland et al '93]. Can cause problems with queuing/delay [Erramilli etc al 96].



The Markov Model




- This is topology of Wang and Clegg/Dodson models.
- If $\{X_t : t \in \mathbb{N}\}$ is generated by chain then generate

$$Y_t = \begin{cases} 0 & X_t = 0 \\ 1 & \text{otherwise.} \end{cases}$$

- Choose f_i so return times have heavy-tails and get binary series with LRD [Heath et al 1998].
- Both models set mean and H parameter.
- Exact solution to discrete queuing model exists.

Arrowsmith/Barenco Model




- General class of models described in [Barenco & Arrowsmith '04] proof of strong result giving LRD.
- Think of as double-sided version of Wang topology.
- Could set model to use LRD with Wang or Clegg/Dodson probabilities but theoretical issues cause problem with mean and stability.
- Instead use on/off length distributions for real data.
- Results here **not** be a criticism of this family of models.


Models Used

- Simple and tractable packet generation models.
- Models are “clocked” and “binary”. Fixed width packets generated at times $n\Delta t : n \in \mathbb{N}$.
- Generating Models (listed in chronological order):
 - ① Poisson process (strictly speaking Bernoulli process) (mean only).
 - ② Fractional Brownian Motion model (mean and Hurst parameter).
 - ③ Wang model [Wang '89] — Markov Modulated process (mean and H).
 - ④ Pseudo Self-Similar Traffic (PSST) [Robert et al '97] — MMP (mean and ?).
 - ⑤ Arrowsmith/Barenco [Barenco & Arrowsmith '04] — MMP (mean and on/off dist).
 - ⑥ Clegg/Dodson [Clegg & Dodson '05] — MMP (mean and H).
 - ⑦ UH model (Bernoulli-Zeta) [Conversation in pub '07] — MMP (mean and H).


Queuing Model

- Assume a single FIFO server with an infinite buffer and output bandwidth b .
- Takes time l/b to process a packet of length l .
- Measure $E[q]$ the expected queue length (in packets or in bits) as function of b .
- Input to the queue maybe from “real” traffic traces or from models.
- Real traffic is 2 x Bellcore (1989) and 2 x CAIDA (2003) data.







Bellcore – All models compared with real data.




Bellcore – $\mathbb{P}[Q > 10]$.




CAIDA – All models compared with real data.



Bellcore trace 2 – Selected models compared with real data.



CAIDA trace 2 – Selected models compared with real data.



The effect of increasing the number of iterations on $E[q]$ in two LRD models.

Conclusions

- No models were always close to matching queuing behaviour.
- The “digitisation” in these models is not the reason for the difference.
- Models which took the distribution of ON burst lengths were sometimes “good enough” .
- I need more data and fewer parameters (good models have many parms).
- LRD is a nuisance to work with (poor convergence of mean, hard to measure H) is it fundamental anyway?
- Different models which give the same mean and H give very different queuing performance.
- With an infinite buffer these models are predicting infinite queue and delay.
- **The very idea of LRD modelling may be fundamentally broken.**

Where to now?


- Multi-parameter models? (Multi-fractal wavelet model? Variants of Arrowsmith/Barenco model? Capture ACF?)
 - Pro: Captures more parameters of traffic.
 - Pro: Mathematics is interesting.
 - Anti: Mathematics is much more difficult (accuracy versus understanding).
- Closed loop models?
 - Pro: Captures importance of TCP feedback mechanism.
 - Anti: Likely to be mathematically intractable.
 - Anti: Does complex simulation gain us understanding?
- What am I missing? (User behaviour? Network behaviour? Misunderstanding theory?)
- Definitely **more research required**.

References


- 1 Barenco and Arrowsmith, Dynamical Systems, vol 19(1) p61-74 (2004)
- 2 Clegg and Dodson, Phys. Rev. E, vol 72 (026118) (2005)
- 3 Clegg, Int. Journ. Simul.: Sys., Sci. & Tech. vol 7(1) p3-14 (2006)
- 4 Erramilli, Narayan & Willinger, IEE/ACM Trans. Net vol 4(2) p209-223 (1996)
- 5 Heath, Resnick & Samorodnitsky, Math. of Oper. Res., vol 23(1) p 145-165 (1998)
- 6 Leland, Taquq, Willinger, Wilson, Proc ACM SIGCOMM, p183-193 (1993)
- 7 Neidhardt & Wang, Proc. ACM SIGMETRICS, p222-232 (1998)
- 8 Robert & Le Boudec, Perf. Eval., vol 30 p57-68 (1997)
- 9 Wang, Phys. Rev. A, vol 40(11) p6647-6661 (1989)

This talk, the author's papers referred to above and the software used are all available online at:


www.richardclegg.org/.




Bellcore vs FGN (several realisations with $H = 0.8$ and one each of $H = 0.75$ and $H = 0.85$).




Bellcore – next four blocks of 100,000 packets.




CAIDA – $\mathbb{P}[Q > 10]$.




CAIDA – $\mathbb{P}[Q > 5]$.




Bellcore 2 - $\mathbb{P}[Q > 10]$.



Bellcore 2 - $\mathbb{P}[Q > 5]$.



CAIDA 2 - $\mathbb{P}[Q > 10]$.



CAIDA 2 - $\mathbb{P}[Q > 5]$.